MODAMINDfuels

MODAFINIL EFFECT

HEALTHCARE PRESENTATION

10 x 10 Tablets
Modafinil Tablets IP
Modalert® 100
Each uncoated tablet contains:
Modatinil IP 100 mg
Excipients q.s.
Dosage: As directed by the Neurologist/Psychiatrist/Specialist.
CAUTION: Not to be sold by retail without the prescription of a Neurologist/Psychiatrist/Specialist
Store at room temperature. protected from light and moisture.
®Registered Trade Mark

TIMING MATTERS

Proper timing can influence how effectively modafinil supports daytime wakefulness

Taking modafinil at an unsuitable time may reduce its perceived benefit. Timing should generally follow prescribed instructions and the intended period of activity. Taking it too late may also interfere with nighttime sleep, potentially affecting alertness and performance the following day.

MODAMINDfuels

DRUG INTERACTIONS

Other medicines and supplements may influence modafinil's effectiveness and safety

Modafinil can interact with certain medicines, supplements, and hormonal contraceptives. These interactions may change medication levels or reduce effectiveness. Maintaining a complete medication list and reviewing it with a doctor or pharmacist can help identify potential interactions before making changes.

MODAMINDfuels

SLEEP QUALITY

Poor sleep can make wakefulness medications seem less effective over time

Modafinil promotes wakefulness, but it cannot replace adequate restorative sleep.

- Chronic sleep deprivation
- Untreated sleep disorders
- Irregular sleep schedules
- Poor sleep hygiene

MODAMINDfuels

REDUCED RESPONSE

Some people may notice reduced effects after prolonged or continued modafinil use

Reduced responsiveness has been reported by some long-term users, although widespread pharmacological tolerance is not consistently demonstrated. If effectiveness appears to decline, do not increase the dose independently. A healthcare professional can evaluate possible causes and discuss appropriate treatment adjustments.

MODAMINDfuels

MEDICATION QUALITY

Product quality and storage conditions can affect medication performance and reliability

Counterfeit, degraded, incorrectly stored, or improperly dosed medication may produce little or no expected effect. Medication should come from a legitimate pharmacy or healthcare system. Checking packaging, batch information, expiry dates, and storage conditions can help identify potential quality concerns.

MODAMINDfuels

INDIVIDUAL FACTORS

Personal health, metabolism, genetics, and expectations can influence perceived effectiveness

People can respond differently to the same medication because of individual biological and lifestyle factors.

- Different drug metabolism
- Underlying health conditions
- Genetic differences
- Unrealistic performance expectations

MODAMINDfuels

REVIEW YOUR ROUTINE

A structured review can help identify why benefits seem reduced

Start by reviewing dose and timing with your prescriber, then examine sleep quality, other medications, supplements, and medication storage. Track meaningful outcomes instead of relying only on how alert you feel. This approach can make discussions with healthcare professionals more productive.

MODAMINDfuels

SEEK GUIDANCE

Never change medication doses without discussing your situation with qualified healthcare professionals

If modafinil seems less effective, avoid self-adjusting the dose or combining stimulants. Persistent daytime sleepiness may require evaluation for an underlying sleep disorder or other health issue. A clinician can review medications, symptoms, treatment goals, and potential alternatives safely.

MODAMINDfuels

THANK YOU

LEARN. REVIEW. MAKE INFORMED DECISIONS.

www.Modamindfuels.com info@modamindfuels.com